


3. CLUTCHES

3.4. FRICTION CLUTCHES

WALTERSCHEID




K90/4

Type of construction	Size	d	D	Style	M	Drawing No.	Part No.
		[mm]	[Profile]		[daNm]		
K90/4	2400	32	1 3/8" (6)	KF	140	56.108.09	1342373
K90/4	2400	32	1 3/8" (21)	KF	100	56.109.09	1342395
K90/4	2400	32	1 3/4" (6)	KF	120	56.110.09	1341883
K90/4	2500	36	1 3/8" (6)	KF	150	56.100.09	1333268
K90/4	2500	36	1 3/8" (21)	KF	120	56.101.09	1342361
K90/4	2500	36	1 3/4" (6)	KF	150	56.102.09	1342376
K90/4	2500	36	1 3/4" (20)	KF	140	56.103.09	1342377
K90/4	2600	42	1 3/8" (6)	KF	140	56.104.09	1333900
K90/4	2600	42	1 3/4" (6)	KF	140	56.106.09	1341881
K90/4	2600	42	1 3/4" (20)	KF	140	56.107.09	1333297

3. CLUTCHES

3.4. FRICTION CLUTCHES




K90/4 INDIVIDUAL PARTS

Pos.	Designation	Size	d	TK	Technical data	Standard	Drawing No.	Part No.
			[mm]	[mm]				
1	K90 Yokes	2300	27	167	10xØ12,5		21.73.01 +	1335443
1	K90 Yokes	2400	32	167	10xØ12,5		35.73.01 +	1335604
1	K90 Yokes	2500	36	167	10xØ12,5		36.73.01 +	1335605
1	K90 Yokes	2600	42	167	8xØ12,5		26.73.01 +	1335606
2	K90/4 Hubs							
3	Friction disk				91x150x3		56.73.08	1168556
4	Drive plate			167	189x91x7		56.93.00	1335603
5	Drive plate				151,5x80,5		56.94.00	1335442
6	Thrust flange				10xØ12,1		56.92.00	1337464
7	Hexagonal screw				M12x65	DIN 931	60.06.08	1020467
8	Self-locking hexagonal nut				M12	DIN 985	60.53.03	1010490
9	Hexagonal screw				M12x1,25x115	DIN 960	60.06.51	1165949
10	Compression spring				26,4 x 6,3 x 41		66.01.53	1330592
11	Washer				A 13	DIN 125	60.75.01	1020093
12	Self-locking hexagonal nut				M12x1,25	DIN 934		1123593
13	Self-locking hexagonal nut				M12x1,25	DIN 439		1123594

3. CLUTCHES

3.4. FRICTION CLUTCHES



K90/4 HUBS

Type	D	Style	Drawing No.	Part No.
	[Profile]			
K90/4	1 ³ / ₈ " (6)	KF	56.91.00	1320497
K90/4	1 ³ / ₈ " (21)	KF	56.91.02	1338232
K90/4	1 ³ / ₄ " (6)	KF	56.91.04	1328444
K90/4	1 ³ / ₄ " (6)	QC	56.91.08	1367763
K90/4	1 ³ / ₄ " (20)	KF	56.91.06	1338233